



SPECIFICATION DATABASE

CDS - 7/24 - V1.0



Royale
Collection

Composite Door Size Restrictions & 'u' Values


	Pinhal	WIDTH Min: 810mm Max: 1024mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.3 w/m ²
	Pinhal Solid	WIDTH Min: 792mm Max: 1024mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 0.98 w/m ²
	Laguna	WIDTH Min: 820mm Max: 1024mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.4 w/m ²
	San Lorenzo	WIDTH Min: 820mm Max: 1024mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.4 w/m ²
	Penina 1	WIDTH Min: 792mm Max: 1024mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.1 w/m ²
	Penina 3	WIDTH Min: 815mm Max: 1024mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.3 w/m ²
	Victoria	WIDTH Min: 792mm Max: 1024mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.0 w/m ²

SPECIFICATION DATABASE

CDS - 7/24 - V1.0



Composite Door Size Restrictions & 'u' Values



	Victoria Half Glaze WIDTH Min: 810mm Max: 1024mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.3 w/m ²
	Victoria Solid WIDTH Min: 792mm Max: 1024mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 0.98 w/m ²
	Faldo Next-Gen WIDTH Min: 888mm Max: 948mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.2 w/m ²
	Espiche WIDTH Min: 802mm Max: 1024mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.0 w/m ²
	Balaia WIDTH Min: 802mm Max: 1024mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 0.96 w/m ²
	Monte Rei WIDTH Min: 772mm Max: 1014mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.0 w/m ²
	Palmares WIDTH Min: 772mm Max: 1010mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.1 w/m ²

SPECIFICATION DATABASE

CDS - 7/24 - V1.0



Composite Door Size Restrictions & 'u' Values

	Salgados	WIDTH Min: 772mm Max: 1010mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.1 w/m ²
	Boavista	WIDTH Min: 772mm Max: 1010mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.2 w/m ²
	Laranjal	WIDTH Min: 772mm Max: 1010mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.1 w/m ²
	Morgado	WIDTH Min: 772mm Max: 1010mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.0 ² w/m ²
	Alamos	WIDTH Min: 790mm Max: 1010mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.1 w/m ²
	Silves	WIDTH Min: 772mm Max: 1010mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.2 w/m ²
	Gramacho	WIDTH Min: 802mm Max: 1010mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.2 w/m ²








SPECIFICATION DATABASE

CDS - 7/24 - V1.0



Royale
Collection

Composite Door Size Restrictions & 'u' Values





	Pinta	WIDTH Min: 802mm Max: 1010mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.0 w/m ²
	Benamor	WIDTH Min: 802mm Max: 1024mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 0.91 w/m ²
	Vila Sol	WIDTH Min: 640mm Max: 1010mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 0.96 w/m ²
	Casto Marim	WIDTH Min: 772mm Max: 1010mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 0.91 w/m ²
	Millenium	WIDTH Min: 802mm Max: 1010mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.2 w/m ²
	Gramacho Solid	WIDTH Min: 802mm Max: 1010mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.2 w/m ²
	Ocean	WIDTH Min: 802mm Max: 1010mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.2 w/m ²

SPECIFICATION DATABASE

CDS - 7/24 - V1.0



Composite Door Size Restrictions & 'u' Values

	Santo Antonio	WIDTH Min: 802mm Max: 1024mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 0.95 w/m ²
	Oporto	WIDTH Min: 802mm Max: 1024mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.1 w/m ²
	Lisboa	WIDTH Min: 868mm Max: 1010mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.4 w/m ²
	Tavira	WIDTH Min: 820mm Max: 1024mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.2 w/m ²
	Estoril	WIDTH Min: 772mm Max: 1010mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 0.91 w/m ²
	Onyria	WIDTH Min: 772mm Max: 1010mm	HEIGHT	Standard T/Hold Low PVC T/Hold Stormguard	Min 2013mm 1995mm 1978mm	Max 2123mm 2105mm 2087mm	INDICATIVE 'u' VALUE 1.2 w/m ²

All sizes shown are frame sizes, you will need to plus any addons or cills to the sizes shown.

Minimum width for Heritage lock is 880mm

Minimum door widths may change if using Stainless Bar Handle